

SIMSBURY FIRE DISTRICT
871 HOPMEADOW STREET • SIMSBURY • CONNECTICUT • 06070
Telephone: 860-658-1971 • Facsimile: 860-658-5611

DRAFT
SIMSBURY FIRE DISTRICT
MINUTES OF EXECUTIVE COMMITTEE MEETING
OCTOBER 14th, 2025, 7:00PM
MAIN STATION
871 HOPMEADOW STREET

President Gary Wilcox called the meeting to order at 7:00 pm.

The members 'present were G. Wilcox, J. Solury, P. Pabich, G. Giddings, H. Caldwell, K. Ouimette, M. Paine, M. Pearce-Bristol. Chief T. Myers and D. Coppinger were excused. P. Tourville FM was a Guest.

1. A motion was made, seconded, that the minutes of September 8th as distributed earlier by email be accepted. A copy of this report is on file.
2. Public Audience: None
3. Fire Marshal Report – P. Tourville: The reports for the month of September 2025, as distributed by email, were accepted. A copy of this report is on file.
4. Fire Chief Report – T. Myers: The report for the month of September 2025, as distributed by email, were accepted. A copy of this report is on file.
5. District Treasurer Report – P. Pabich: Report distributed for October 2025 was approved and ratified. A copy of this report is on file.
6. District Commissioner's Report – G. Giddings: Drill tower inspection to take place. Power Washers and under carriage cleaning are investigated for all stations. District Maintenance to research.
7. District Maintenance Reports – M. Pearce-Bristol: The report for the month of September 2025, as distributed by email, was accepted. A copy of this report is on file.
8. District Administration Report – K. Ouimette: The reports for the month of September 2025, as distributed by email, was accepted. A copy of this report is on file.
9. Personnel Report – G. Wilcox: Meeting with employees will take place by the end of October

SIMSBURY FIRE DISTRICT

871 HOPMEADOW STREET • SIMSBURY • CONNECTICUT • 06070

Telephone: 860-658-1971 • Facsimile: 860-658-5611

10. Civil Preparedness Report – M. Berry: The report for the month of September as distributed by email, was accepted. A copy of this report is on file.
11. Correspondence - None
12. Unfinished Business – Drill Tower inspection to be performed September 27th and 28th.
- 13: New Business – Fire Alarms (false) were discussed. An ordinance is in place. Compliance to same is responsibility of Police Department.

Benefit plan was discussed. No changes.

Fire Marshal office gave a presentation on a new program for planning reviews. Plans are submitted and reviewed electronically.
14. Executive Session - None
15. Meeting adjourned at 7:44pm

Respectfully submitted

John J. Solury Sr.
Clerk

Next Meeting: NOVEMBER 10th, 2025